





Architectural Ironmongery Ltd

SIGNAGE

ENGRAVING



All types of computerised and manual machine engraving is currently available utilising a host of materials including aluminium, brass, stainless steel, perspex, engraving plastic (traffolite) and most other metals and plastics.

Letters, numerals and logos can be engraved onto an array of 'free issue' products such as letterplates, control panels, switches etc. Infill colour can be supplied to match any BS or RAL reference.

Special shapes and cutouts can be produced and for larger production runs, a laser cutting service is also available.

Standard nameplates are priced by the letter and a chart can be found in the price list

Almost any typeface can be engraved and shown overleaf, are a few examples of the most popular used:

GROUP 1 TYPEFACES

GILL SANS

HELVETICA 1 LINE

SINGLE CUT CONDENSED

GROUP 2 TYPEFACES

AVANT GARDE

BODINI

CLARENDON

Commercial Script

DESDEMONA

DYNAMO SHADOW

FUTURA

FUTURA MEDIUM

GARAMOND

GILL SANS

HELVETICA LIGHT

HELVETICA MEDIUM

HELVETICA BOLD

HELVETICA OUTLINE

MICROGRAMMA

OPTIMA

PUMP SOLID

PUMP OUTLINE

RELIEF

ROMAN LIGHT

ROMAN OUTLINE

TIMES ROMAN



TIMES BOLD

TRAJAN ROMAN

UNIVERSE 55

עקרנקי (HEBREW)

Helvetica 1 Line and Helvetica Medium Explained...



The difference is the stroke of the letter for Helvetica 1 Line is determined by the diameter of the cutter, leaving a rounded end to the letters. For Helvetica Medium, a smaller cutter is used to engrave the outline of the letter and then take-away the middle, hence this takes twice as long.

Handy Hint: To estimate the length of a nameplate, multiply the height of the letter by the number of letters and spaces required. Don't forget to include a space at each end!

ARCHITECTURAL

SIGNS

FIRE & SAFETY SIGNS



	TYPE	SAA	PAA	SSS	PSS	PB
76mm diameter <i>(For text see below)</i>	A	AF1	AF2	AF3	AF4	AF5
	B	AF6	AF7	AF8	AF9	AF10
80 x 80mm <i>(For text see below)</i>	A	AF11	AF12	AF13	AF14	AF15
	B	AF16	AF17	AF18	AF19	AF20
400 X 200mm <i>(Fire exit)</i>	A	AF21	AF22	AF23	AF24	AF25
	B	AF26	AF27	AF28	AF29	AF30
300 X 100mm <i>(Push bar to open)</i>	A	AF31	AF32	AF33	AF34	AF35
	B	AF36	AF37	AF38	AF39	AF40
80 x 80mm <i>(No smoking)</i>	C	AF41	AF42	AF43	AF44	AF45

**MOST ITEMS
IN-STOCK
READY FOR
IMMEDIATE
DESPATCH TO
ANY UK
ADDRESS**



EX-STOCK WORDINGS (FOR 76mm DIA & 80 X 80mm SIGNS)

1. Fire door keep shut	11. Keep locked shut when not in use	20. Automatic fire door keep clear close at night	31. This door to be kept locked shut when not in use
2. Fire door keep closed	12. Keep locked when not in use	21. Automatic fire door	32. This door to be kept locked shut
3. Fire door keep clear	13. Keep shut when not in use	22. Close this door at night	33. This door to be kept locked
4. Fire door keep locked	14. Keep shut	23. Close these doors at night	34. This door to be kept unlocked when premises are occupied
5. Fire door keep shut when not in use	15. Keep locked	24. Fire escape keep clear	35. Doors to be kept unlocked during opening hours
6. Fire door keep locked shut	16. Keep closed at all times	25. Fire escape light switch	36. Keep clear exit from emergency escape route
7. Fire door keep locked shut when not in use	17. Automatic fire door keep shut	26. Fire exit keep clear	
8. Fire door to be kept clear at all times	18. Automatic fire door keep clear	27. Use only in emergency	
9. Fire door keep clear close at night	19. Automatic fire door do not obstruct	28. Keep this door closed	
10. Keep locked shut		29. This door to be kept shut	
		30. This door to be kept shut when not in use	

Type A: Screen printed with natural text/logo • **Type B:** Screen printed with white text/logo • **Type C:** Screen printed in red & black. All products on this page are 1.5mm thick, drilled and countersunk with fixing screws as standard • Materials available: **SAA:** Satin Anodised Aluminium, **PAA:** Polished Anodised Aluminium, **SSS:** Satin Stainless Steel, **PSS:** Polished Stainless Steel and **PB:** Polished Brass When ordering, please quote product code and wording number • Alternative self-adhesive back on request at no extra cost.

Product and specification details are correct at time of going to press but are subject to change without prior notification

NAMEPLATES & SYMBOL SIGNS



SP301 150 x 100mm
EN301 150 x 100mm




SP302 150 x 100mm
EN302 150 x 100mm



SP303 150 x 100mm
EN303 150 x 100mm



SP304 150 x 100mm
EN304 150 x 100mm



SP305 150 x 100mm
EN305 150 x 100mm




SP306 150 x 100mm
EN306 150 x 100mm



SP307 150 x 100mm
EN307 150 x 100mm



SP308 150 x 100mm
EN308 150 x 100mm




SP309 150 x 100mm
EN309 150 x 100mm



SP310 150 x 100mm
EN310 150 x 100mm



SP311 150 x 100mm
EN311 150 x 100mm



SP312 150 x 100mm
EN312 150 x 100mm



SP313 150 x 100mm
EN313 150 x 100mm



SP314 150 x 100mm
EN314 150 x 100mm



SP315 76mm dia
EN315 76mm dia




SP316 76mm dia
EN316 76mm dia



SP317 76mm dia
EN317 76mm dia



SP318 76mm dia
EN318 76mm dia



SP319 76mm dia
EN319 76mm dia



SP320 76mm dia
EN320 76mm dia



SP321 76mm dia
EN321 76mm dia



SP322 76mm dia
EN322 76mm dia




SP323 76mm dia
EN323 76mm dia



SP324 76mm dia
EN324 76mm dia




SP325 76mm dia
EN325 76mm dia



SP326 76mm dia
EN326 76mm dia



SP327 76mm dia
EN327 76mm dia



SP328 76mm dia
EN328 76mm dia



SP329 76mm dia
EN329 76mm dia



SP331 75 x 300mm
EN331 75 x 300mm



SP332 75 x 300mm
EN332 75 x 300mm



SP333 75 x 300mm
EN333 75 x 300mm



SP334 75 x 300mm
EN334 75 x 300mm



SP335 75 x 300mm
EN335 75 x 300mm



SP336 75 x 300mm



SP337 75 x 300mm

PUSH

SP338 70 x 35mm

PULL

SP339 70 x 35mm

W.C.

SP340 70 x 35mm

LADIES

SP341 140 x 35mm

PRIVATE

SP342 140 x 35mm

TOILET

SP343 140 x 35mm

TOILETS

SP344 140 x 35mm

OFFICE

SP345 140 x 35mm

SHOWER

SP346 140 x 35mm

STORE

SP347 140 x 35mm

REFUSE

SP348 140 x 35mm

KITCHEN

SP349 140 x 35mm

CLEANER

SP350 140 x 35mm

LAUNDRY

SP351 140 x 35mm

RECEPTION

SP352 175 x 35mm

GENTLEMEN

SP353 175 x 35mm

ENQUIRIES

SP354 175 x 35mm

BATHROOM

SP355 175 x 35mm

STAFF ROOM

SP356 175 x 35mm

STAFF ONLY

SP357 175 x 35mm

STOCK ROOM

SP358 175 x 35mm

MANAGER

SP359 175 x 35mm

MIND THE STEP

SP360 245 x 35mm


MIND YOUR HEAD

SP361 245 x 35mm

All products on this page are 1.5mm thick, drilled and countersunk with fixing screws as standard • Materials available: **SAA:** Satin Anodised Aluminium, **PAA:** Polished Anodised Aluminium, **SSS:** Satin Stainless Steel, **PSS:** Polished Stainless Steel and **PB:** Polished Brass • **SP:** Screen Printed, **EN:** Engraved • When ordering, please quote product code and material required • Alternative self-adhesive back on request at no extra cost.


Product and specification details are correct at time of going to press but are subject to change without prior notification

CARD FRAMES



TYPE 1


SIZE mm	SAA 3mm	PAA 3mm	PB 3mm	PX 3mm	SSS 2mm	PSS 2mm
67 x 50	CF101	CF104	CF107	CF110	CF113	CF116
100 x 75	CF102	CF105	CF108	CF111	CF114	CF117
133 x 100	CF103	CF106	CF109	CF112	CF115	CF118



Type 1
Card Frame

TYPE 2

SIZE mm	SAA 3mm	PAA 3mm	PB 3mm	PX 3mm	SSS 2mm	PSS 2mm
100 x 50	CF201	CF204	CF207	CF210	CF213	CF216
150 x 75	CF202	CF205	CF208	CF211	CF214	CF217
200 x 100	CF203	CF206	CF209	CF212	CF215	CF218



Type 2
Card Frame

Card frames are supplied drilled, countersunk with screws as standard • Alternative self-adhesive available on request • Type 2 Card Frames are engraved with Helvetica 1 Line and filled with black (upto 3 digits) as standard • Non-standard Card Frames to special order

Product and specification details are correct at time of going to press but are subject to change without prior notification

STAND-OFF


INTERCHANGEABLE SIGNS



Stand-Off signs are 5mm thick, silicon acrylic with face plates to match any door hardware.

Supplied with stand-off sign supports, silicon acrylic has a light green tint around the polished edges to give a glass appearance. If a door number or name requires changing, only the face plate has to be replaced.

STAND-OFF Interchangeable Signs



Standard Sizes:

Number & Name Plates

86mm x 56mm
166mm x 56mm
246mm x 56mm
326mm x 56mm

Directories

426mm x 116mm
426mm x 166mm

Standard Finishes:

Back Plates

5mm Silicon Acrylic

Face Plates

SSS

Satin Stainless Steel

SAA

Satin Anodised Aluminium

PB

Polished Brass

PAA

Polished Anodised Aluminium

HIPS

Coloured Plastic

PSS

Polished Stainless Steel

Options:

Vinyl-Cut Lettering
Screen Printed
Engraved
Tactile
Tactile and Braille

Number & Name Plates

25mm Lettering

Directories

35mm Lettering

**Custom finish and sizes
available on request**

TACTILE & BRAILLE

SIGNS



All of our tactile and braille signs are manufactured with the guidance of the Royal National Institute for the Blind to ensure that they conform to the DDA Regulations Act 1995.

We supply Grade 1 Braille for short word signs or Grade 2 Braille (which is a contracted form) for longer sentence signs.

The system we use enables us to supply tactile and braille signs in any metal finish, such as aluminium, stainless steel or polished brass, as well as any colour plastic. This proves beneficial when there is a need to match existing door furniture.




**CAN'T FIND
WHAT YOU'RE
LOOKING FOR?**

We can produce almost any sign to your very own specifications.

Please call for details



TT1 76mm dia




TT2 76mm dia




TT3 76mm dia




TT4 76mm dia



TT5 76mm dia



TT6 76mm dia



TT7 76mm dia



TT8 100 x 200mm




TT9 100 x 200mm




TT10 100 x 200mm




TT11 100 x 200mm



TT12 75 x 300mm



TT13 75 x 300mm



TT14 75 x 300mm



TT15 150 x 80mm



TT16 150 x 80mm



TT17 150 x 80mm



TT18 200 x 80mm



TT19 200 x 80mm



TT20 200 x 80mm



TT21 200 x 80mm



TT22 200 x 80mm



TT23 200 x 80mm



TT24 200 x 80mm



TT25 200 x 80mm



TT26 200 x 80mm



TT27 200 x 80mm



TT28 200 x 80mm



TT29 200 x 80mm



TT30 250 x 80mm



TT31 250 x 80mm



TT32 250 x 80mm



TT33 250 x 80mm



TT34 250 x 80mm



TT35 250 x 80mm

All products on this page are 1.5mm thick, drilled and countersunk with fixing screws as standard • Materials available: **SAA:** Satin Anodised Aluminium, **PAA:** Polished Anodised Aluminium, **SSS:** Satin Stainless Steel, **PSS:** Polished Stainless Steel, **PX:** Perspex and **PB:** Polished Brass • When ordering, please quote product code and material required • Alternative self-adhesive back on request at no extra cost • Any preferred colour, finish or design can be priced on request.

Product and specification details are correct at time of going to press but are subject to change without prior notification

CUT-OUT LETTERS



DON'T FORGET... EXTRA DISCOUNTS ARE AVAILABLE ON LARGE QUANTITIES!



Please contact our sales office for further details

HEIGHT mm	SAA 1.5mm	PAA 1.5mm	PB 1.5mm	PX 3mm	SSS 1.5mm	PSS 3mm
25	CL101	CL113	CL125	CL137	CL149	CL161
50	CL102	CL114	CL126	CL138	CL150	CL162
75	CL103	CL115	CL127	CL139	CL151	CL163
100	CL104	CL116	CL128	CL140	CL152	CL164
125	CL105	CL117	CL129	CL141	CL153	CL165
150	CL106	CL118	CL130	CL142	CL154	CL166
175	CL107	CL119	CL131	CL143	CL155	CL167
200	CL108	CL120	CL132	CL144	CL156	CL168
225	CL109	CL121	CL133	CL145	CL157	CL169
250	CL110	CL122	CL134	CL146	CL158	CL170
275	CL111	CL123	CL135	CL147	CL159	CL171
300	CL112	CL124	CL136	CL148	CL160	CL172

Cut-out letters are supplied drilled and countersunk with screws or self-adhesive • Block letters and numerals are supplied as standard • Locators can be supplied on heights 75mm and above • Materials available: **SAA:** Satin Anodised Aluminium, **PAA:** Polished Anodised Aluminium, **PB:** Polished Brass, **PX:** Perspex, **SSS:** Satin Stainless Steel and **PSS:** Polished Stainless Steel
When ordering, please quote product code, letters required and fixing • Non-standard cut-out to special order


Product and specification details are correct at time of going to press but are subject to change without prior notification

CONSTRUCTION

SIGNS



CS1 900 x 600mm




CS2 900 x 600mm



CS3 600 x 450mm



CS4 600 x 450mm



CS5 600 x 450mm



CS6 600 x 450mm



CS7 600 x 450mm



CS8 600 x 450mm



CS9 600 x 450mm



CS10 600 x 450mm



CS11 600 x 450mm



CS12 600 x 450mm



CS13 600 x 400mm



CS14 600 x 400mm



CS15 600 x 400mm



CS16 600 x 400mm



CS17 600 x 400mm



CS18 600 x 200mm



CS19 600 x 200mm



CS20 600 x 200mm



CS21 600 x 200mm



CS22 600 x 400mm



CS23 600 x 400mm



CS24 600 x 400mm



CS25 600 x 400mm



CS26 600 x 400mm



CS27 300 x 100mm



CS28 300 x 100mm



CS29 300 x 100mm



CS30 300 x 100mm



CS31 300 x 100mm



CS32 300 x 100mm




























When ordering, please quote product code and material required • All signs unless stated are available in either self-adhesive vinyl, 1mm rigid plastic or 0.9mm aluminium • Plastic and aluminium signs are drilled for screw-fixing as standard • Alternative self-adhesive back on request at no extra cost.

Product and specification details are correct at time of going to press but are subject to change without prior notification

















FIRE & SAFETY

SIGNS

BS5499 : ISO7010

 BS1 600 x 200mm BS2 450 x 150mm BS3 300 x 100mm	 BS4 600 x 200mm BS5 450 x 150mm BS6 300 x 100mm	 BS7 600 x 200mm BS8 450 x 150mm BS9 300 x 100mm	 BS10 600 x 200mm BS11 450 x 150mm BS12 300 x 100mm	 BS13 400 x 200mm BS14 300 x 150mm BS15 200 x 100mm
 BS16 600 x 200mm BS17 450 x 150mm BS18 300 x 100mm	 BS19 600 x 200mm BS20 450 x 150mm BS21 300 x 100mm	 BS22 600 x 200mm BS23 450 x 150mm BS24 300 x 100mm	 BS25 600 x 200mm BS26 450 x 150mm BS27 300 x 100mm	 BS28 400 x 200mm BS29 300 x 150mm BS30 200 x 100mm
 BS31 600 x 200mm BS32 450 x 150mm BS33 300 x 100mm	 BS34 600 x 200mm BS35 450 x 150mm BS36 300 x 100mm	 BS37 600 x 200mm BS38 450 x 150mm BS39 300 x 100mm	 BS40 600 x 200mm BS41 450 x 150mm BS42 300 x 100mm	 BS43 400 x 200mm BS44 300 x 150mm BS45 200 x 100mm
 BS46 600 x 200mm BS47 450 x 150mm BS48 300 x 100mm	 BS49 600 x 200mm BS50 450 x 150mm BS51 300 x 100mm	 BS52 600 x 200mm BS53 450 x 150mm BS54 300 x 100mm	 BS55 600 x 200mm BS56 450 x 150mm BS57 300 x 100mm	 BS58 400 x 200mm BS59 300 x 150mm BS60 200 x 100mm
 BS61 200 x 200mm BS62 150 x 150mm BS63 100 x 100mm	 BS64 200 x 200mm BS65 150 x 150mm BS66 100 x 100mm	 BS67 200 x 200mm BS68 150 x 150mm BS69 100 x 100mm	 BS70 200 x 200mm BS71 150 x 150mm BS72 100 x 100mm	 BS73 200 x 200mm BS74 150 x 150mm BS75 100 x 100mm
 BS76 200 x 200mm BS77 150 x 150mm BS78 100 x 100mm	 BS79 200 x 200mm BS80 150 x 150mm BS81 100 x 100mm			

EEC DIRECTIVE 92/58/EEC

 EEC1 600 x 200mm EEC2 450 x 150mm EEC3 300 x 100mm	 EEC4 600 x 200mm EEC5 450 x 150mm EEC6 300 x 100mm	 EEC7 600 x 200mm EEC8 450 x 150mm EEC9 300 x 100mm	 EEC10 600 x 200mm EEC11 450 x 150mm EEC12 300 x 100mm
 EEC13 600 x 200mm EEC14 450 x 150mm EEC15 300 x 100mm	 EEC16 600 x 200mm EEC17 450 x 150mm EEC18 300 x 100mm	 EEC19 600 x 200mm EEC20 450 x 150mm EEC21 300 x 100mm	 EEC22 600 x 200mm EEC23 450 x 150mm EEC24 300 x 100mm
 EEC25 600 x 200mm EEC26 450 x 150mm EEC27 300 x 100mm	 EEC28 600 x 200mm EEC29 450 x 150mm EEC30 300 x 100mm	 EEC31 600 x 200mm EEC32 450 x 150mm EEC33 300 x 100mm	 EEC34 600 x 200mm EEC35 450 x 150mm EEC36 300 x 100mm
 EEC37 600 x 200mm EEC38 450 x 150mm EEC39 300 x 100mm	 EEC40 600 x 200mm EEC41 450 x 150mm EEC42 300 x 100mm	 EEC43 600 x 200mm EEC44 450 x 150mm EEC45 300 x 100mm	 EEC46 600 x 200mm EEC47 450 x 150mm EEC48 300 x 100mm



**CAN'T FIND
WHAT
YOU'RE
LOOKING
FOR?**

We can produce almost any sign to your very own specifications.

Please call for details

HTM65 HOSPITAL TECHNICAL MEMORANDUM (SEE OUR HOSPITAL SIGNS LEAFLET FOR MORE SIGNS)

 HTM1 600 x 150mm HTM2 350 x 100mm	 HTM3 600 x 150mm HTM4 350 x 100mm	 HTM5 600 x 150mm HTM6 350 x 100mm	 HTM7 600 x 150mm HTM8 350 x 100mm	 HTM9 450 x 150mm HTM10 300 x 100mm
 HTM11 600 x 150mm HTM12 350 x 100mm	 HTM13 600 x 150mm HTM14 350 x 100mm	 HTM15 600 x 150mm HTM16 350 x 100mm	 HTM17 600 x 150mm HTM18 350 x 100mm	 HTM19 450 x 150mm HTM20 300 x 100mm

HANGING SIGNS (BS5499 : ISO7010)

3mm thick PVC for rigidity • Single or double sided • 2 holes at top for hanging



BSH1 600 x 200mm

BSH2 600 x 200mm

BSH3 600 x 200mm

BSH4 600 x 200mm

BSH5 600 x 200mm

BSH6 600 x 200mm

BSH7 600 x 200mm

BSH8 600 x 200mm

**MOST SIGNS
IN-STOCK
READY FOR
IMMEDIATE
DESPATCH TO
ANY UK
ADDRESS**



HANGING SIGNS (EC DIRECTIVE 92/58/EEC)

3mm thick PVC for rigidity • Single or double sided • 2 holes at top for hanging




EECH1 600 x 200mm

EECH2 600 x 200mm

EECH3 600 x 200mm

EECH4 600 x 200mm

HANGING SIGNS (ACCESSORIES)



Hanging Wire
HW1 4 inch length
HW2 8 inch length

Extending Wire
HW3 Extends from 210mm to 1500mm

Ceiling Clip
CC1 Clips into false ceilings

Ceiling Button
CC2 Self-adhesive hanging button

Hanging Aluminium Frame
HF1 600 x 200
HF2 450 x 150

Single sided aluminium frame with sign. Arrow in any direction

PHOTOLUMINESCENT (BS5499 : ISO7010)

1.3mm thick PVC • Drilled for screw-fix as standard (available with self-adhesive back on request at no extra cost) • All other Fire & Safety signs are available in photoluminescent



PH1 600 x 200mm
PH2 450 x 150mm

PH3 600 x 200mm
PH4 450 x 150mm

PH5 600 x 200mm
PH6 450 x 150mm

PH7 600 x 200mm
PH8 450 x 150mm

PH9 400 x 200mm
PH10 300 x 150mm

PH11 600 x 200mm
PH12 450 x 150mm

PH13 600 x 200mm
PH14 450 x 150mm

PH15 600 x 200mm
PH16 450 x 150mm

PH17 600 x 200mm
PH18 450 x 150mm

PH19 400 x 200mm
PH20 300 x 150mm


ECO EXIT BOX RANGE



With an external white painted finish on steel and a choice of screen printed legends, this very shallow exit box model incorporates reliable 8W control gear, but with reduced battery specification to provide a budget option for emergency signage requirements above doors.

	Dimensions	Lamp (Mains)	Lamp (Emergency)	Operating Mode
ECO1	385 x 195 x 80mm	-	1 x 8W	Non-maintained
ECO2	385 x 195 x 80mm	1 x 8W	1 x 8W	Maintained

EUROLUX BULKHEAD RANGE



A reliable and stylish range available in 8W rating for most indoor applications and, having a polycarbonate diffuser, can be used outside by fitting the gasket provided for an IP rating.

	Dimensions	Lamp (Mains)	Lamp (Emergency)	Operating Mode
EUR1	380 x 115 x 80mm	1 x 8W	Non-maintained	Non-maintained
EUR2	380 x 115 x 80mm	1 x 8W	1 x 8W	Maintained

When ordering, please quote product code and material required • All signs unless stated are available in either self-adhesive vinyl, 1mm rigid plastic or 0.9mm aluminium • Plastic and aluminium signs are drilled for screw-fixing as standard • Alternative self-adhesive back on request at no extra cost.

Product and specification details are correct at time of going to press but are subject to change without prior notification

GENERAL SIGNS

FS1 300 x 150mm	FS2 300 x 150mm	FS3 300 x 150mm	FS4 300 x 150mm	FS5 300 x 150mm	FS6 300 x 150mm
FS7 600 x 150mm FS8 350 x 100mm	FS9 600 x 150mm FS10 350 x 100mm	FS11 600 x 150mm FS12 350 x 100mm	FS13 600 x 150mm FS14 350 x 100mm		
FS15 300 x 100mm	FS16 300 x 100mm	FS17 300 x 250mm	FS18 300 x 250mm	FS19 300 x 250mm	FS20 150 x 100mm FS21 150 x 100mm
FS22 600 x 100mm FS23 300 x 50mm	FS24 600 x 100mm FS25 300 x 50mm	FS26 600 x 100mm FS27 300 x 50mm	FS28 600 x 100mm FS29 300 x 50mm		
FS30 600 x 100mm FS31 300 x 50mm	FS32 600 x 100mm FS33 300 x 50mm	FS34 600 x 100mm FS35 300 x 50mm	FS36 600 x 100mm FS37 300 x 50mm		
FS38 600 x 200mm FS39 300 x 100mm	FS40 600 x 200mm FS41 300 x 100mm	FS42 600 x 200mm FS43 300 x 100mm	FS44 600 x 200mm FS45 300 x 100mm		
FS46 150 x 100mm	FS47 150 x 100mm	FS48 150 x 100mm	FS49 150 x 100mm	FS50 300 x 200mm	FS51 150 x 100mm
FS52 300 x 250mm					
FS53 450 x 150mm					

PHOTOLUMINESCENT

1.3mm thick PVC • Drilled for screw-fix as standard (available with self-adhesive back on request at no extra cost) • All other Fire & Safety signs are available in photoluminescent

PH21 300 x 150mm	PH22 300 x 150mm	PH23 300 x 150mm	PH24 300 x 150mm	PH25 300 x 150mm	PH26 300 x 150mm
PH27 600 x 150mm PH28 350 x 100mm	PH29 600 x 150mm PH30 350 x 100mm	PH31 600 x 150mm PH32 350 x 100mm	PH33 600 x 150mm PH34 350 x 100mm		
PH35 600 x 100mm PH36 300 x 50mm	PH37 600 x 100mm PH38 300 x 50mm	PH43 150 x 100mm	PH44 150 x 100mm	PH45 150 x 100mm	PH46 150 x 100mm PH47 150 x 100mm
PH39 600 x 200mm PH40 300 x 100mm	PH41 600 x 200mm PH42 300 x 100mm				



DON'T FORGET...EXTRA DISCOUNTS ARE AVAILABLE ON LARGE QUANTITIES!

Please contact our sales office for further details

When ordering, please quote product code and material required • All signs unless stated are available in either self-adhesive vinyl, 1mm rigid plastic or 0.9mm aluminium • Plastic and aluminium signs are drilled for screw-fixing as standard • Alternative self-adhesive back on request at no extra cost.

Product and specification details are correct at time of going to press but are subject to change without prior notification

GENERAL SIGNS



FS54 300 x 100mm FS55 300 x 100mm FS56 300 x 100mm FS57 300 x 100mm FS58 300 x 100mm



FS59 200 x 150mm FS60 200 x 150mm FS61 200 x 150mm FS62 200 x 150mm FS63 200 x 150mm FS64 200 x 150mm FS65 200 x 150mm



FS66 200 x 150mm FS67 200 x 150mm FS68 200 x 150mm FS69 200 x 150mm FS70 200 x 150mm FS71 200 x 150mm



FS72 150 x 150mm FS73 150 x 150mm FS74 150 x 150mm FS75 150 x 150mm FS76 150 x 150mm FS77 150 x 150mm FS78 150 x 150mm



FS79 190 x 100mm FS80 190 x 100mm FS81 190 x 100mm FS82 190 x 100mm FS83 190 x 100mm



FS84 400 x 300mm FS85 600 x 200mm FS86 300 x 100mm FS87 600 x 200mm FS88 300 x 100mm FS89 600 x 200mm FS90 300 x 100mm FS91 600 x 200mm FS92 300 x 100mm FS93 600 x 200mm FS94 300 x 100mm FS95 600 x 200mm FS96 300 x 100mm FS97 600 x 200mm FS98 300 x 100mm FS99 600 x 200mm FS100 300 x 100mm



FS101 200 x 150mm FS102 200 x 150mm FS103 200 x 150mm FS104 200 x 150mm FS105 200 x 150mm FS106 200 x 150mm FS107 200 x 200mm FS108 80 x 80mm FS109 200 x 200mm FS110 80 x 80mm

CAN'T FIND WHAT YOU'RE LOOKING FOR?

We can produce almost any sign to your very own specifications.

Please call for details

PHOTOLUMINESCENT

1.3mm thick PVC • Drilled for screw-fix as standard (available with self-adhesive back on request at no extra cost) • All other Fire & Safety signs are available in photoluminescent



PH48 200 x 150mm PH49 200 x 150mm PH50 200 x 150mm PH51 150 x 150mm PH52 150 x 150mm PH53 200 x 150mm PH54 200 x 150mm PH55 200 x 150mm PH56 200 x 200mm 80 x 80mm

When ordering, please quote product code and material required • All signs unless stated are available in either self-adhesive vinyl, 1mm rigid plastic or 0.9mm aluminium • Plastic and aluminium signs are drilled for screw-fixing as standard • Alternative self-adhesive back on request at no extra cost.

Product and specification details are correct at time of going to press but are subject to change without prior notification

GENERAL SIGNS



FS111 200 x 200mm
FS112 80 x 80mm



FS113 200 x 200mm
FS114 80 x 80mm



FS115 200 x 200mm
FS116 80 x 80mm



FS117 200 x 200mm
FS118 80 x 80mm



FS119 80 x 80mm



FS120 80 x 80mm



FS121 80 x 80mm



FS122 80 x 80mm



FS123 80 x 80mm



FS124 80 x 80mm



FS125 80 x 80mm



FS126 80 x 80mm



FS127 80 x 80mm



FS128 80 x 80mm



FS129 80 x 80mm



FS130 80 x 80mm



FS131 80 x 80mm



FS132 80 x 80mm



FS133 80 x 80mm



FS134 80 x 80mm



FS135 80 x 80mm



FS136 80 x 80mm



FS137 80 x 80mm



FS138 80 x 80mm



FS139 80 x 80mm



FS140 80 x 80mm



FS141 80 x 80mm



FS142 80 x 80mm



FS143 80 x 80mm



FS144 80 x 80mm



FS145 80 x 80mm



FS146 80 x 80mm



FS147 80 x 80mm



FS148 80 x 80mm



FS149 80 x 80mm



FS150 80 x 80mm



FS151 80 x 80mm



FS152 80 x 80mm



FS153 80 x 80mm



FS154 80 x 80mm



FS155 80 x 80mm



FS156 80 x 80mm



FS157 76mm dia



FS158 76mm dia



FS159 76mm dia



FS160 76mm dia



FS161 76mm dia



FS162 76mm dia



FS163 76mm dia

PHOTOLUMINESCENT

1.3mm thick PVC • Drilled for screw-fix as standard (available with self-adhesive back on request at no extra cost) • All other Fire & Safety signs are available in photoluminescent



PH58 200 x 200mm
PH59 80 x 80mm



PH60 200 x 200mm
PH61 80 x 80mm



PH62 200 x 200mm
PH63 80 x 80mm



PH64 200 x 200mm
PH65 80 x 80mm



PH66 80 x 80mm



PH67 80 x 80mm




PH68 80 x 80mm




PH69 80 x 80mm



PH70 80 x 80mm



PH71 80 x 80mm



PH72 80 x 80mm



PH73 76mm dia.



PH74 76mm dia.



PH74 76mm dia.

When ordering, please quote product code and material required • All signs unless stated are available in either self-adhesive vinyl, 1mm rigid plastic or 0.9mm aluminium • Plastic and aluminium signs are drilled for screw-fixing as standard • Alternative self-adhesive back on request at no extra cost.

Product and specification details are correct at time of going to press but are subject to change without prior notification

GENERAL SIGNS

Fire action

IF YOU DISCOVER A FIRE

1. Immediately operate nearest alarm call-point
2. Attack fire, if possible, with appliances provided but without taking personal risks.

ON HEARING ALARM OF FIRE

3. The **Fire Brigades** will call the fire brigade immediately by EXCHANGE TELEPHONE
- (a) Lift receiver and dial 999
- (b) Give operator your telephone number and ask for FIRE
- (c) When fire brigade replies give call distinctly

FIRE AT

DO NOT REPLACE RECEIVER UNTIL ADDRESS HAS BEEN REPEATED BY FIRE BRIGADE

CALL THE FIRE BRIGADE IMMEDIATELY TO EVERY FIRE OR ON SUSPICION OF FIRE

4. Leave building and report to person in charge of assembly point.

USE NEAREST AVAILABLE EXIT

DO NOT USE LIFT
DO NOT STOP TO COLLECT PERSONAL BELONGINGS
DO NOT RE-ENTER BUILDING

FS164 300 x 200mm

Fire action

IF YOU DISCOVER A FIRE

1. Immediately operate nearest alarm call-point
2. Attack fire, if possible, with appliances provided but without taking personal risks.

ON HEARING ALARM OF FIRE

3. The **Fire Brigades** will call the fire brigade immediately by EXCHANGE TELEPHONE
- (a) Lift receiver and dial 999
- (b) Give operator your telephone number and ask for FIRE
- (c) When fire brigade replies give call distinctly

FIRE AT

DO NOT REPLACE RECEIVER UNTIL ADDRESS HAS BEEN REPEATED BY FIRE BRIGADE

CALL THE FIRE BRIGADE IMMEDIATELY TO EVERY FIRE OR ON SUSPICION OF FIRE

4. Leave building and report to person in charge of assembly point.

USE NEAREST AVAILABLE EXIT

DO NOT USE LIFT
DO NOT STOP TO COLLECT PERSONAL BELONGINGS
DO NOT RE-ENTER BUILDING

FS165 300 x 200mm

Fire action
If you discover a fire

Operate nearest fire alarm point

Call the Fire brigade by telephoning 999

Leave the building by the nearest exit

Report to your assembly point at

Do not stop to collect personal belongings

Do not use lift

FS166 300 x 200mm

STAFF FIRE

GENERAL BEFORE WE HAVE A FIRE

Ensure YOU know:- the means of escape from the building and the location of the fire equipment

The location of the fire alarm call points and detectors.

The areas covered by each fire alarm zone.

The location of rooms not protected by the fire detection system.

KEEP:- CORRIDORS CLEAR, STORES LOCKED (AT ALL TIMES) STAIRCASES CLEAR, FIRE DOORS CLOSED.

FIRE DRILL PROCEDURE

The fire drill takes on specific instructions of the fire brigade. The person in charge must call the fire brigade (999) as soon as the alarm is heard. First act when the fire fire, then start the evacuation procedure.

EVACUATION PROCEDURE

Phase 1 - Remove occupants of the room involved to the corridor of the compartment involved.

Phase 2 - Remove occupants of the compartment to either an adjoining compartment or to the open air.

Phase 3 - Removal of all occupants of all other compartments within the building to the open air.

Due to the numbers of staff on duty, especially at night, and the degree of ambience of residents, it is envisaged that your immediate responsibility would be to complete PHASE 1 of the evacuation and then PHASE 2 prior to the arrival of the Fire Service who will then act to fully evacuate of the premises, as their require.

FS167 300 x 200mm

Fire exit keep clear

FS168 400 x 300mm
FS169 200 x 150mm

Fire escape keep clear

FS170 400 x 300mm
FS171 200 x 150mm

Gangway keep clear

FS172 400 x 300mm
FS173 200 x 150mm

Keep clear. Exit from emergency escape route

FS174 400 x 300mm
FS175 200 x 150mm

Fire door keep clear

FS176 400 x 300mm
FS177 200 x 150mm

Fire exit Keep clear

FS178 600 x 200mm
FS179 300 x 100mm

Safety helmets must be worn in this area

FS180 600 x 200mm
FS181 300 x 100mm

Use ear protectors in this area

FS182 600 x 200mm
FS183 300 x 100mm

Eye protection must be worn

FS184 600 x 200mm
FS185 300 x 100mm

Hand protection must be worn

FS186 600 x 200mm
FS187 300 x 100mm

Now wash your hands

FS188 600 x 200mm
FS189 300 x 100mm

Protective footwear must be worn

FS200 600 x 200mm
FS201 300 x 100mm

Respirators must be worn

FS202 600 x 200mm
FS203 300 x 100mm

Safety clothing must be worn

FS204 600 x 200mm
FS205 300 x 100mm

High visibility jackets must be worn in this area

FS206 600 x 200mm
FS207 300 x 100mm

Wear safety harness

FS208 600 x 200mm
FS209 300 x 100mm

FS210 200 x 200mm
FS211 80 x 80mm

FS212 200 x 200mm
FS213 80 x 80mm

FS214 200 x 200mm
FS215 80 x 80mm

FS216 200 x 200mm
FS217 80 x 80mm

FS218 200 x 200mm
FS219 80 x 80mm

FS220 200 x 200mm
FS221 80 x 80mm

FS222 200 x 200mm
FS223 80 x 80mm

Danger

FS224 600 x 200mm
FS225 300 x 100mm

Danger Men working

FS226 600 x 200mm
FS227 300 x 100mm

Mind the step

FS228 600 x 200mm
FS229 300 x 100mm

Mind your head

FS230 600 x 200mm
FS231 300 x 100mm

Very hot water

FS232 600 x 200mm
FS233 300 x 100mm

Danger High voltage

FS234 600 x 200mm
FS235 300 x 100mm

Danger 440 volts

FS236 600 x 200mm
FS237 300 x 100mm

Caution Fork-lift trucks operating

FS238 600 x 200mm
FS239 300 x 100mm

Dangerous chemicals

FS240 600 x 200mm
FS241 300 x 100mm

Danger Fragile roof

FS242 600 x 200mm
FS243 300 x 100mm

FS244 200 x 200mm
FS245 80 x 80mm

FS246 200 x 200mm
FS247 80 x 80mm

FS248 200 x 200mm
FS249 80 x 80mm

FS250 200 x 200mm
FS251 80 x 80mm

FS252 200 x 200mm
FS253 80 x 80mm

FS254 200 x 200mm
FS255 80 x 80mm

FS256 200 x 200mm
FS257 80 x 80mm

PHOTOLUMINESCENT

1.3mm thick PVC - Drilled for screw-fix as standard (available with self-adhesive back on request at no extra cost) - All other Fire & Safety signs are available in photoluminescent

Fire exit keep clear

PH75 400 x 300mm
PH76 200 x 150mm

Safety helmets must be worn in this area

PH77 600 x 200mm
PH78 300 x 100mm

PH79 200 x 200mm
PH80 80 x 80mm

Danger

PH81 600 x 200mm
PH82 300 x 100mm

PH62 200 x 200mm
PH63 80 x 80mm

When ordering, please quote product code and material required - All signs unless stated are available in either self-adhesive vinyl, 1mm rigid plastic or 0.9mm aluminium - Plastic and aluminium signs are drilled for screw-fixing as standard - Alternative self-adhesive back on request at no extra cost.

Product and specification details are correct at time of going to press but are subject to change without prior notification

VINYL GRAPHICS

AND DIGITAL PRINTING


VINYL GRAPHICS



Almost any typeface or symbol can be vinyl cut quickly and economically to produce one-offs or small runs and can be applied to most surfaces with ease.

Letters can be supplied pre-spaced with carrier film ready for customers own application.

Frosted vinyl can be supplied in a variety of designs for application to glass doors and windows to give an acid etched appearance



There is a wide range of colours available in both matt and gloss finish. A price per letter chart for standard block letters can be found in our price list. Specials available by quotation.



DIGITAL PRINTING

A new and rapidly expanding aspect of our business is large (and small) format full colour digital printing which is ideal for exhibitions, signs, banners and even outdoor signage and vehicle graphics.

The Cadet uses hard wearing solvent based inks to print onto vinyl and also incorporates a cutting facility. This makes it perfect for printing labels, stickers and posters.

It can produce large full colour graphics which can be cut to any shape and applied to a vehicle. The ability to produce high resolution prints onto vinyl means the graphics can then be applied to most surfaces, making this printer and the prints it produces extremely versatile.



SCREEN PRINTING



Screen printing is available on most sheet metals, plastics and vinyls. We stock various ink systems in all the standard colours. Any colour can be matched to a BS or RAL number, or to a customer's sample. This economical and versatile process can be used to print an array of 'free issue' products providing the surface to be printed is flat, clean and dry.

Sub-surface screen printing is available on various thicknesses and finishes of unsealed anodised aluminium. A very durable label can be produced when printed with the correct inks and sealed, as the print cannot be removed by rubbing or with solvents. This process is ideal for rating plates and labels for use on plant machinery or equipment.

Our in-house artwork department includes a computer-aided design facility with access to thousands of standard logos, symbols and typefaces.

